



# BREAKING

## HILTI TE1000 BREAKER

NOISE LEVEL: 108dB



SAFETY EQUIPMENT SUGGESTED

A powerful vibration damped breaker. The Hilti TE905 breaker is ideal for the removal & demolition of concrete, masonry, stone & asphalt.



## HILTI TE80 BREAKER

NOISE LEVEL: 104dB



SAFETY EQUIPMENT SUGGESTED

This versatile medium duty breaker is capable of tackling a wide range of general site work from light demolition to the removal of plaster & tiles.



Hire Period	1 day	2 day	3 day	week
Hilti TE1000 Breaker	36.48	42.56	48.65	60.81
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

Hire Period	1 day	2 day	3 day	week
Hilti TE80 Breaker	31.01	36.18	41.35	51.69
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 12kg
- Voltage: 110v 16amp Supply
- Power: 1600W

- Weight: 8kg
- Voltage: 110v 16amp Supply
- Power: 1300W

(Hand Arm Vibration 10.0m/s<sup>2</sup>) (Maximum Usage 30 minutes per person per 8 hour shift)



(Hand Arm Vibration 10.0m/s<sup>2</sup>) (Maximum Usage 30 minutes per person per 8 hour shift)



## HILTI TE500 BREAKER

NOISE LEVEL: 98dB



SAFETY EQUIPMENT SUGGESTED

This light weight breaker is ideal for hacking off plaster, removing wall tiles or chasing out.



## HILTI TE300 BREAKER / NEEDLE ATTACHMENT

NOISE LEVEL: 108dB



SAFETY EQUIPMENT SUGGESTED

This lightweight breaker is ideal for light duty breaking & chasing. When fitted with a needle attachment this breaker can be used to remove paint & corrosion from irregular surfaces. Needles charged extra.



Hire Period	1 day	2 day	3 day	week
Hilti TE500 Breaker	31.01	36.18	41.35	51.69
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

Hire Period	1 day	2 day	3 day	week
Hilti TE300 Breaker	29.19	34.05	38.91	48.65
Needle Attachment	10.94	12.76	14.60	18.24
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 7kg
- Voltage: 110v 16amp Supply
- Power: 900W

- Weight: 3kg
- Voltage: 110v 16amp Supply
- Power: 710W

(Hand Arm Vibration 12.0m/s<sup>2</sup>) (Maximum Usage 25 minutes per day per person)



(Hand Arm Vibration 9.0m/s<sup>2</sup>) (Maximum Usage 37 minutes per person per 8 hour shift)





## BREAKING

### HEAVY DUTY ROAD BREAKER

NOISE LEVEL: 104dB



These heavy breakers are ideal for breaking up concrete slabs, paths, drive ways & indoor concrete slabs.



Hire Period	1 day	2 day	3 day	week
Heavy Duty Road Breaker	54.72	63.85	72.97	91.22
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 23kg
- Voltage: 110v 32amp Supply
- Power: 2200W

(Hand Arm Vibration 4.8m/s<sup>2</sup>) (Maximum Usage 120 minutes per person per 8 hour shift)



### HYDRAULIC BREAKER PACK

NOISE LEVEL: 100dB



A powerful high performance alternative to the compressor, the hydraulic breaker pack & gun are small enough to be transported in most vehicles.



Hire Period	1 day	2 day	3 day	week
Hydraulic Pack & Breaker	80.27	93.65	107.03	133.79
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 83kg Pack
- Fuel: Unleaded Petrol
- Hose Length: 6m
- Weight: 26kg Breaker

(Hand Arm Vibration 6.4m/s<sup>2</sup>) (Maximum Usage 71 minutes per person per 8 hour shift)



### 8CFM COMPRESSOR



This electric compressor can be used for paint spraying or for powering our range of small air tools.



Hire Period	1 day	2 day	3 day	week
8cfm Compressor	54.72	63.85	72.97	91.22

- Weight: 31kg
- Voltage: 240v 13amp supply

### 42CFM COMPRESSOR



Compact & portable with the performance of a construction site compressor. Perfect for powering our range of demo picks, needle guns & air scabblers.



Hire Period	1 day	2 day	3 day	week
42cfm Compressor	62.03	72.37	82.69	103.37

- Weight: 168kg
- Fuel: Unleaded Petrol



# BREAKING

## SINGLE & TWO TOOL COMPRESSOR



SAFETY EQUIPMENT SUGGESTED

For powering a wide range of breakers & small air tools, our road towable compressors have the power to suit most applications.



Hire Period	1 day	2 day	3 day	week
Single Tool Compressor	87.56	102.16	116.75	145.94
Two Tool Compressor	109.43	127.49	145.94	182.42

- Single Tool Compressor: 90cfm
- Two Tool Compressor: 140cfm
- Weight: 575kg
- Weight: 730kg
- Fuel: Diesel
- Fuel: Diesel

## 230mm AIR GRINDER

NOISE LEVEL: 104dB



SAFETY EQUIPMENT SUGGESTED

A robust, light weight & versatile grinder, ideal for the cutting & grinding most types of building materials.



Hire Period	1 day	2 day	3 day	week
230mm Air Grinder	29.19	34.05	38.91	48.65

(Hand Arm Vibration 3.30m/s<sup>2</sup>) (Maximum Usage 275 minutes per person per 8 hour shift)



## MEDIUM BREAKER (VIBRATION DAMPED)

NOISE LEVEL: 108dB



SAFETY EQUIPMENT SUGGESTED

These vibration damped breakers are ideal for breaking up roads, pavements, paths & concrete slabs.



Hire Period	1 day	2 day	3 day	week
Medium Breaker	30.64	35.76	40.87	51.08
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 20kg

(Hand Arm Vibration 4.3m/s<sup>2</sup>) (Maximum Usage 130 minutes per person per 8 hour shift)



## DEMO PICK (VIBRATION DAMPED)

NOISE LEVEL: 108dB



SAFETY EQUIPMENT SUGGESTED

A versatile tool capable of tackling a wide range of general site work from clay digging to light demolition & breaking.



Hire Period	1 day	2 day	3 day	week
Demo Pick	25.53	29.80	34.05	42.56
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 10kg

(Hand Arm Vibration 5.1m/s<sup>2</sup>) (Maximum Usage 120 minutes per person per 8 hour shift)



## BLOW LANCE/AIR LINE/IN LINE OILER/WHEEL CLAMP/COMPRESSOR EYE LOCK & KEY



SAFETY EQUIPMENT SUGGESTED

Hire Period	1 day	2 day	3 day	week
Blow Lance	12.16	12.16	12.16	12.16
Air Line	4.86	4.86	4.86	4.86
In Line Oiler	12.16	12.16	12.16	12.16
Wheel Clamp	9.12	9.12	9.12	9.12
Compressor Eye Lock	6.08	6.08	6.08	6.08
Ogre Heavy Duty Eye Lock	10.51	10.51	10.51	10.51



# DRILLING

## CORDLESS DRILL 12V/14V & 18V

NOISE LEVEL: 100dB



SAFETY EQUIPMENT SUGGESTED

Combining the performance of mains power with the mobility of cordless, this powerful hammer drill is perfect for general masonry drilling tasks.



Hire Period	1 day	2 day	3 day	week
12v Cordless Drill	16.42	19.15	21.90	27.37
14v Cordless Drill	16.42	19.15	21.90	27.37
18v Cordless Drill	16.42	19.15	21.90	27.37

- Weight: 3kg
- Capacity: Wood 20mm
- Masonry 14mm
- Metal 13mm

(Hand Arm Vibration 7.4m/s<sup>2</sup>) (Maximum Usage 53 minutes per person per 8 hour shift)



## CORDLESS HAMMER DRILL 24V & 36V

NOISE LEVEL: 100dB



SAFETY EQUIPMENT SUGGESTED

Combining the performance of mains power with the mobility of cordless, this powerful SDS hammer drill is perfect for general masonry drilling tasks.



Hire Period	1 day	2 day	3 day	week
24v Cordless Drill	32.84	38.31	43.78	54.72
36v Cordless Drill	32.84	38.31	43.78	54.72

- Weight: 5kg
- Capacity: Wood 20mm
- Masonry 18mm
- Concrete 16mm

(Hand Arm Vibration 5.0m/s<sup>2</sup>) (Maximum Usage 53 minutes per person per 8 hour shift)



## PISTOL DRILL 10MM

NOISE LEVEL: 80dB



SAFETY EQUIPMENT SUGGESTED

A light weight drill ideal for drilling both wood & metal.

Hire Period	1 day	2 day	3 day	week
10mm Pistol Drill	12.76	14.89	17.03	21.29

- Weight: 1kg
- Voltage: 110v 16amp Supply
- Power: 240W
- Capacity: Wood 9mm
- Metal 6.5mm

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## 13MM PERCUSSION DRILL

NOISE LEVEL: 101dB



SAFETY EQUIPMENT SUGGESTED

Whether you are drilling through wood, metal, plastic, brickwork or moderately soft masonry, these compact, electric drills are excellent all rounders.



Hire Period	1 day	2 day	3 day	week
13mm Percussion Drill	12.76	14.89	17.03	21.29

- Weight: 2kg
- Voltage: 110v 16amp Supply
- Power: 690W
- Capacity: Wood 40mm
- Masonry 20mm
- Metal 13mm

(Hand Arm Vibration 14.5m/s<sup>2</sup>) (Maximum Usage 21 minutes per person per 8 hour shift)



## 16MM PERCUSSION DRILL

NOISE LEVEL: 101dB



SAFETY EQUIPMENT SUGGESTED

A light weight, general purpose drill suitable for drilling masonry, brick, concrete, & other materials.



Hire Period	1 day	2 day	3 day	week
16mm Percussion Drill	18.24	21.28	24.32	30.40

- Weight: 2kg
- Voltage: 110v 16amp Supply
- Power: 900W
- Capacity: Wood 40mm
- Masonry 20mm
- Metal 13mm

(Hand Arm Vibration 14.5m/s<sup>2</sup>) (Maximum Usage 21 minutes per person per 8 hour shift)



## HILTI TE2 DRILL

NOISE LEVEL: 101dB



SAFETY EQUIPMENT SUGGESTED

A professional SDS hammer drill ideal for general drilling tasks where a powerful yet light weight machine is required.



Hire Period	1 day	2 day	3 day	week
Hilti TE2 Drill	16.06	18.73	21.41	27.52

- Weight: 2kg
- Voltage: 110v 16amp Supply
- Power: 650W
- Capacity: 4–22mm Masonry

(Hand Arm Vibration 10.0m/s<sup>2</sup>) (Maximum Usage 30 minutes per person per 8 hour shift)





# DRILLING

## HILTI TE30-C DRILL

NOISE LEVEL: 100dB



SAFETY EQUIPMENT SUGGESTED

A professional SDS hammer drill ideal for general drilling tasks where a powerful yet light weight machine is required. Can also be used for light breaking.



Hire Period	1 day	2 day	3 day	week
Hilti TE30-C Drill	23.71	27.68	31.62	39.53
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86

- Weight: 4kg
- Voltage: 110v 16amp Supply
- Power: 800W
- Capacity: 5–28mm Masonry

(Hand Arm Vibration 9.5m/s<sup>2</sup>) (Maximum Usage 33 minutes per person per 8 hour shift)



## HILTI TE40 DRILL

NOISE LEVEL: 101dB



SAFETY EQUIPMENT SUGGESTED

A professional SDS hammer drill ideal for general drilling tasks where a powerful yet light weight machine is required.



Hire Period	1 day	2 day	3 day	week
Hilti TE40 Drill	23.71	27.68	31.62	39.53

- Weight: 6kg
- Voltage: 110v 16amp Supply
- Power: 1050W
- Capacity: 14–24mm Solid Bit.
- Up to 90mm Core Bits in Masonry

(Hand Arm Vibration 10.0m/s<sup>2</sup>) (Maximum Usage 30 minutes per person per 8 hour shift)



## HILTI TE80 DRILL/BREAKER

NOISE LEVEL: 104dB



SAFETY EQUIPMENT SUGGESTED

This versatile medium duty breaker is capable of tackling a wide range of general site work from light demolition to the removal of plaster & tiles.



Hire Period	1 day	2 day	3 day	week
Hilti TE80 Breaker	31.01	36.18	41.35	51.69
Point	2.44	2.44	2.44	2.44
Chisel	2.44	2.44	2.44	2.44
Wide Chisel	4.86	4.86	4.86	4.86
Comb Holder	4.86	4.86	4.86	4.86

- Weight: 8kg
- Voltage: 110v 16amp Supply
- Power: 1300W
- Capacity: 12–40mm Solid Bit.
- Up to 150mm Core Bits in Masonry

(Hand Arm Vibration 10.0m/s<sup>2</sup>) (Maximum Usage 30 minutes per person per 8 hour shift)



## RIGHT ANGLE DRILL

NOISE LEVEL: 101dB



SAFETY EQUIPMENT SUGGESTED

For use in confined spaces or for drilling between joists.



Hire Period	1 day	2 day	3 day	week
Right Angle Drill	21.90	25.54	29.19	36.48
Cordless Right Angle Drill	21.90	25.54	29.19	36.48

- Weight: 6kg
- Voltage: 110v 16amp Supply
- Power: 650W
- Capacity: 30mm Wood
- 13mm Metal

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## DRILL BIT/CORE BIT/EXTENSION BAR/ADAPTOR



SAFETY EQUIPMENT SUGGESTED

Hire Period	1 day	2 day	3 day	week
Solid Drill Bit up to 25mm	4.25	4.25	4.25	4.25
Solid Drill Bit 26-50mm	5.47	5.47	5.47	5.47
Core Bit up to 50mm	6.08	6.08	6.08	6.08
Core Bit 55-100mm	10.34	10.34	10.34	10.34
Core Bit 115-150mm	14.60	14.60	14.60	14.60
Extension Bar	3.65	3.65	3.65	3.65
Drill Adaptor	2.55	2.55	2.55	2.55



# DRILLING

## MAKITA DRY DIAMOND DRILL

NOISE LEVEL: 96dB



SAFETY EQUIPMENT SUGGESTED

A light duty hand held drill, ideal for drilling both small & larger diameter holes in masonry, soft brick & light weight materials. Wear charged on diamond core bits on termination of hire.



Hire Period	1 day	2 day	3 day	week
Makita Dry Diamond Drill	26.81	31.28	35.76	44.69
22mm-152mm dia core	6.08	6.08	6.08	6.08
Extension Rod	6.08	6.08	6.08	6.08

- Weight: 5kg
- Voltage: 110v 16amp Supply
- Power: 1400W
- Capacity: 22-152mm Core Bits in Masonry

(Hand Arm Vibration 7.0m/s<sup>2</sup>) (Maximum Usage 61 minutes per person per 8 hour shift)



## HILTI DD110 DIAMOND DRILL

NOISE LEVEL: 96dB



SAFETY EQUIPMENT SUGGESTED

Suitable for drilling holes in concrete, masonry & brick. Wet drilling option available for reinforced concrete. Wear charged on diamond core bits on termination of hire.



Hire Period	1 day	2 day	3 day	week
Hilti DD110 Diamond Drill	58.37	68.10	77.83	97.29
22mm-152mm dia core	6.08	6.08	6.08	6.08
Extension Rod	6.08	6.08	6.08	6.08

- Weight: 6kg
- Voltage: 110v 16amp Supply
- Power: 1800W
- Capacity: 22-152mm Core Bits (Dry)

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## MAGNETIC DRILL

NOISE LEVEL: 97dB



SAFETY EQUIPMENT SUGGESTED

For boring clean & accurate holes in iron & steel, these broachers are ideal for industrial use



Hire Period	1 day	2 day	3 day	week
Magnetic Drill	58.37	68.10	77.83	97.29

- Weight: 10kg
- Voltage: 110v 16amp Supply
- Power: 650kg
- Capacity: 12-32mm Cutters

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## DD130 DIAMOND DRILLING RIG

NOISE LEVEL: 89dB



SAFETY EQUIPMENT SUGGESTED

Suitable for carrying out vertical, horizontal & diagonal drilling in reinforced concrete, masonry & brickwork. The most compact diamond drilling system in its class with advanced design & ease of use. Wear charged on diamond core bits on termination of hire.



Hire Period	1 day	2 day	3 day	week
DD130 Diamond Drilling Rig	109.21	127.41	145.61	182.02
Diamond Core Hire (wear charged extra)	6.08	6.08	6.08	6.08
Pressurised Water Spray	11.66	13.62	15.56	19.46

- Capacity 16mm – 162mm
- Voltage 110v 16amp Supply
- Power: 1600W

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## DD200 DIAMOND DRILLING RIG

NOISE LEVEL: 105dB



SAFETY EQUIPMENT SUGGESTED

The DD200 is a compact diamond coring system that is easy to transport & set up; easy to understand & easy to operate.



Hire Period	1 day	2 day	3 day	week
DD200 Diamond Drilling Rig	165.47	193.05	220.63	275.78
Diamond Core Hire (wear charged extra)	6.08	6.08	6.08	6.08
Vacuum Hold Down Unit	30.64	35.76	40.87	51.08
Water Swivel	10.94	12.76	14.60	18.24
Pressurised Water Spray	11.66	13.62	15.56	19.46

- Capacity 50mm – 400mm
- Voltage 110v 32amp Supply
- Power: 2300W

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)





# CUTTING AND GRINDING

## 115MM GRINDERETTE

NOISE LEVEL: 85dB



SAFETY EQUIPMENT SUGGESTED

Whether cutting, grinding, mortar raking, weld dressing or deburring the grinderette is an ideal tool for the job.



Maximum cutting depth of 22mm.

Hire Period	1 day	2 day	3 day	week
115mm Grinderette	9.12	10.64	12.16	15.20

- Weight: 2kg
- Voltage: 110v 16amp Supply
- Power: 650W

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## 230MM ANGLE GRINDER

NOISE LEVEL: 104dB



SAFETY EQUIPMENT SUGGESTED

The 230mm grinder is an extremely versatile machine suitable for the cutting & grinding of most types of building materials.



Maximum cutting depth of 75mm.

Hire Period	1 day	2 day	3 day	week
230mm Angle Grinder	11.66	13.62	15.56	19.46

- Weight: 6kg
- Voltage: 110v 16amp Supply
- Power: 2300W

(Hand Arm Vibration 7.5m/s<sup>2</sup>) (Maximum Usage 53 minutes per person per 8 hour shift)



## 300MM ANGLE GRINDER

NOISE LEVEL: 104dB



SAFETY EQUIPMENT SUGGESTED

The 300mm grinder is the ideal machine for cutting paving slabs, brickwork & block work.



Maximum cutting depth of 100mm.

Hire Period	1 day	2 day	3 day	week
300mm Angle Grinder	36.48	42.56	48.65	60.81

- Weight: 12kg
- Voltage: 110v 16amp Supply
- Power: 2400W

(Hand Arm Vibration 7.5m/s<sup>2</sup>) (Maximum Usage 53 minutes per person per 8 hour shift)



## 230mm AIR GRINDER

NOISE LEVEL: 104dB



SAFETY EQUIPMENT SUGGESTED

A robust, light weight & versatile grinder, ideal for the cutting & grinding of most types of building materials.



Hire Period	1 day	2 day	3 day	week
230mm Air Grinder	29.19	34.05	38.91	48.65

(Hand Arm Vibration 3.3m/s<sup>2</sup>) (Maximum Usage 275 minutes per person per 8 hour shift)



## 300MM MASONRY SAW

NOISE LEVEL: 107dB



SAFETY EQUIPMENT SUGGESTED

If you are cutting bricks, blocks, concrete, stone, roof tiles or metalwork on site, this saw is the professional's choice. A water attachment can be fitted to provide a dust free operation.



Maximum cutting depth of 100mm.

Hire Period	1 day	2 day	3 day	week
300mm Masonry Saw	25.53	29.80	34.05	42.56
Trolley c/w Water Tank	40.53	40.53	40.53	40.53
Pressurized Water Spray	11.66	13.62	15.56	19.46

- Weight: 10kg
- Fuel: 2-Stroke

(Hand Arm Vibration 6.8m/s<sup>2</sup>) (Maximum Usage 65 minutes per person per 8 hour shift)



## DIAMOND BLADES

A range of Diamond Blades are available for hire and sale at all depots.





# CUTTING AND GRINDING

## HILTI WALL CHASER

NOISE LEVEL: 97dB



SAFETY EQUIPMENT SUGGESTED

For cutting clean edged chases in masonry & block work to conceal cables & pipes. The width & depth of the blades can be adjusted to suit the application. For best results utilize the dust extraction facility.



Maximum Cutting Width 45mm  
Maximum Cutting Depth 40mm

Wear charged on diamond blades on termination of hire.

Hire Period	1 day	2 day	3 day	week
Hilti Wall Chaser	62.03	72.37	82.69	103.37

- Weight: 6kg
- Voltage: 110v 16amp Supply
- Power: 1700W

(Hand Arm Vibration 3.5m/s<sup>2</sup>) (Maximum Usage 245 minutes per person per 8 hour shift)



## 450MM MASONRY SAW BENCH

NOISE LEVEL: 80dB



SAFETY EQUIPMENT SUGGESTED

This water fed saw bench is the ideal machine for cutting slabs, bricks, blocks, & natural stone on site.



Maximum Cutting Depth 195mm  
Maximum Length of Cut 495mm

Available in petrol & 110v models.

Hire Period	1 day	2 day	3 day	week
450mm Masonry Saw Bench	69.32	80.88	92.42	115.54
450mm Masonry Saw Bench 110v	69.32	80.88	92.42	115.54

- Weight: 160kg
- Fuel: Unleaded Petrol

(Hand Arm Vibration 4.6m/s<sup>2</sup>) (Maximum Usage 151 minutes per person per 8 hour shift)



## BLOCK PAVIOR SPLITTER



SAFETY EQUIPMENT SUGGESTED

Ideal for the accurate cutting of block paviers.

Maximum Cutting Width 335mm  
Maximum Cutting Depth 100mm



Hire Period	1 day	2 day	3 day	week
Block Pavior Splitter	27.73	32.35	36.97	46.22

- Weight: 41kg

## HYDRAULIC BLOCK SPLITTER



SAFETY EQUIPMENT SUGGESTED

Hydraulically powered this heavy duty machine will make light work when cutting blocks & slabs.

Maximum Cutting Width 635mm  
Maximum Cutting Depth 230mm



Hire Period	1 day	2 day	3 day	week
Hydraulic Block Splitter	41.96	48.95	55.95	69.94

- Weight: 110kg

## SNELL SPLIT-MASTER

NOISE LEVEL: 100dB



SAFETY EQUIPMENT SUGGESTED

The hydraulically powered Split-Master satisfies specific needs of specialist natural stone builders, developers & small quarries. The unique floating blade allows for irregular shaped stone to be split with minimal wastage.

Maximum Cutting Width 635mm  
Maximum Cutting Depth 320mm



Hire Period	1 day	2 day	3 day	week
Snell Split Master	182.42	212.83	243.23	304.06

- Weight: 450kg



# CUTTING AND GRINDING

## BLOCK PAVIOR CUTTER

NOISE LEVEL: 84dB



A bench top saw designed for safe & fast cutting of bricks & block paviors.

Maximum Cutting Width 225mm  
Maximum Cutting Depth 80mm



Hire Period	1 day	2 day	3 day	week
Block Pavior Cutter	47.43	55.32	63.19	79.04

- Weight: 28kg
- Voltage: 110v 32amp Supply
- Power: 1800W

## HILTI DG150 DIAMOND GRINDER



This hand held grinder is ideal for exceptionally high material removal performance & long life expectancy.

Wear charged on diamond disc on termination of hire.



Hire Period	1 day	2 day	3 day	week
Hand Held Concrete Planer	43.78	51.08	58.37	72.97

- Weight: 4kg
- Voltage: 110v 16amp Supply
- Power: 1760W

(Hand Arm Vibration 6.7m/s<sup>2</sup>) (Maximum Usage 69 minutes per person per 8 hour shift)



## HAND HELD CONCRETE PLANER

NOISE LEVEL: 97dB



110mm hand held concrete planer with dry diamond grinding wheel, for use on concrete, masonry & natural stone.

Wear charged on diamond disc on termination of hire.



Hire Period	1 day	2 day	3 day	week
Hand Held Concrete Planer	43.78	51.08	58.37	72.97

- Weight: 4kg
- Voltage: 110v 16amp Supply
- Power: 1020kg

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## MASONRY SUPER SAW

NOISE LEVEL: 104dB



The ideal tool for cutting out openings for doors & windows in masonry & block work. The unique cutting action of this saw results in low dust emissions compared to an angle grinder.

Maximum Cutting Depth 260mm



Hire Period	1 day	2 day	3 day	week
Masonry Super Saw	69.32	80.88	92.42	115.54

- Weight: 11kg
- Voltage: 110v 16amp Supply
- Power: 1900kg

(Hand Arm Vibration 2.9m/s<sup>2</sup>) (Maximum Usage 340 minutes per person per 8 hour shift)





# CUTTING AND GRINDING

## TCT MASONRY HANDSAW

A tungsten tipped masonry handsaw, ideal for cutting ThermoLite block, Bath stone & other soft masonry.



SAFETY EQUIPMENT SUGGESTED

Hire Period	1 day	2 day	3 day	week
TCT Masonry Handsaw	10.94	12.76	14.60	18.24

## ELECTRIC TILE SAW

NOISE LEVEL: 97dB

SAFETY EQUIPMENT SUGGESTED

A light weight, transportable, professional tile cutter which uses a water fed diamond blade to produce fast & accurate cutting of most types of tiles.



Hire Period	1 day	2 day	3 day	week
Electric Tile Saw	40.12	46.82	53.51	66.89

- Weight: 25kg
- Voltage: 110v 16amp Supply
- Power: 550W

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## MANUAL TILE SAW

The ideal machine for making quick & accurate cuts in ceramic wall & floor tiles.



SAFETY EQUIPMENT SUGGESTED

Hire Period	1 day	2 day	3 day	week
Manual Tile Saw	11.66	13.62	15.56	19.46

- Weight: 11kg

## 350MM CUT OFF MACHINE

NOISE LEVEL: 110dB

SAFETY EQUIPMENT SUGGESTED

Portable cut off machine for cutting steel pipes, rods & box section accurately. Built in vice for securing & adjustable guide for producing mitre cuts.



Hire Period	1 day	2 day	3 day	week
350mm Cut off Machine	32.84	38.31	43.78	54.72

- Weight: 17kg
- Voltage: 110v 16amp Supply
- Power: 2400W

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## NIBBLER

NOISE LEVEL: 82dB

SAFETY EQUIPMENT SUGGESTED

The ideal tool for producing curved or straight cuts in sheet metal.

Capacity: 1.6mm



Hire Period	1 day	2 day	3 day	week
Nibbler	29.19	34.05	38.91	48.65

- Weight: 2kg
- Voltage: 110v 16amp Supply
- Power: 350W

(Hand Arm Vibration 2.5m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)





# CUTTING AND GRINDING

## 300MM FLOOR SAW

NOISE LEVEL: 98dB



SAFETY EQUIPMENT SUGGESTED

The 300mm floor saw is a light & extremely versatile saw, designed for long cuts in concrete & asphalt.

Maximum Cutting Depth: 100mm

Wear charged on diamond blade on termination of hire.



Hire Period	1 day	2 day	3 day	week
300mm Floor Saw	47.43	55.32	63.23	79.04

• Weight: 87kg

• Fuel: Unleaded Petrol

(Hand Arm Vibration 4.0m/s<sup>2</sup>) (Maximum Usage 180 minutes per person per 8 hour shift)



## 350MM FLOOR SAW

NOISE LEVEL: 98dB



SAFETY EQUIPMENT SUGGESTED

The 350mm floor saw is an extremely versatile saw, designed for long cuts in concrete & asphalt.

Maximum Cutting Depth: 125mm

Wear charged on diamond blade on termination of hire.



Hire Period	1 day	2 day	3 day	week
350mm Floor Saw	62.03	72.37	82.69	103.37

• Weight: 99kg

• Fuel: Unleaded Petrol

(Hand Arm Vibration 2.3m/s<sup>2</sup>) (Maximum Usage 480 minutes per person per 8 hour shift)



## 450MM FLOOR SAW

NOISE LEVEL: 98dB



SAFETY EQUIPMENT SUGGESTED

The 450mm floor saw is an extremely powerful & versatile saw, designed for long cuts in concrete & asphalt.

Maximum Cutting Depth: 150mm

Wear charged on diamond blade on termination of hire.



Hire Period	1 day	2 day	3 day	week
450mm Floor Saw	87.56	102.16	116.75	145.94

• Weight: 135kg

• Fuel: Unleaded Petrol

(Hand Arm Vibration 6.2m/s<sup>2</sup>) (Maximum Usage 75 minutes per person per 8 hour shift)



## 600MM FLOOR SAW

NOISE LEVEL: 110dB




SAFETY EQUIPMENT SUGGESTED

The 600mm self propelled floor saw is an extremely powerful saw, designed for long deep cuts in concrete & asphalt.

Maximum Cutting Depth: 200mm

Wear charged on diamond blade on termination of hire.



Hire Period	1 day	2 day	3 day	week
600mm Floor Saw	200.66	234.12	267.55	334.45

• Weight: 181kg

• Fuel: Unleaded Petrol

(Hand Arm Vibration 4.3m/s<sup>2</sup>) (Maximum Usage 158 minutes per person per 8 hour shift)





# CUTTING AND GRINDING

## CS230 ELECTRIC FLOOR SAW

NOISE LEVEL: 98dB



The CS230 electric floor saw can be used as a conventional floor saw, or fitted with 2 diamond blades to create the cuts for expansion joints in a concrete slab

Maximum Cutting Depth: 55mm

Wear charged on diamond blade on termination of hire.



Hire Period	1 day	2 day	3 day	week
CS230 Electric Floor Saw	94.87	110.67	126.48	158.11

- Weight: 62kg
- Voltage: 110v 32amp Supply

(Hand Arm Vibration 5.0m/s<sup>2</sup>) (Maximum Usage 120 minutes per person per 8 hour shift)



## CONCRETE CHAIN SAW – 2 STROKE

NOISE LEVEL: 107dB



The 300mm concrete chain saw can cut a wide range of materials including brickwork, masonry, reinforced concrete & natural stone. This is the ideal machine to cut door or window openings neatly without having to overcut. Must be used with water.

Maximum Cutting Depth: 300mm

Wear charged on diamond chain on termination of hire.



Hire Period	1 day	2 day	3 day	week
330mm Concrete Chain Saw	173.04	201.88	230.72	288.40

- Weight: 9kg
- Fuel: 2-Stroke

(Hand Arm Vibration 10.5m/s<sup>2</sup>) (Maximum Usage 27 minutes per person per 8 hour shift)



## CONCRETE CHAIN SAW – HYDRAULIC

NOISE LEVEL: 103dB



The 330mm concrete chain saw can cut a wide range of materials including brickwork, masonry, reinforced concrete & natural stone. This is the ideal machine to cut door or window openings neatly without having to overcut. The concrete chain saw is used in conjunction with a hydraulic pack. Must be used with water.

Maximum Cutting Depth: 330mm

Wear charged on diamond chain on termination of hire.



Hire Period	1 day	2 day	3 day	week
330mm Concrete Chain Saw	278.10	324.45	370.80	463.50

- Weight: 7kg

(Hand Arm Vibration 3.5m/s<sup>2</sup>) (Maximum Usage 245 minutes per person per 8 hour shift)



## CONCRETE CHAIN SAW – HYDRAULIC

NOISE LEVEL: 103dB



The 482mm concrete chain saw can cut a wide range of materials including brickwork, masonry, reinforced concrete & natural stone. This is the ideal machine to cut door or window openings neatly without having to overcut. The concrete chain saw is used in conjunction with a hydraulic pack. Must be used with water.

Maximum Cutting Depth: 482mm

Wear charged on diamond chain on termination of hire.



Hire Period	1 day	2 day	3 day	week
482mm Concrete Chain Saw	278.10	324.45	370.80	463.50

- Weight: 8kg

(Hand Arm Vibration 8.0m/s<sup>2</sup>) (Maximum Usage 47 minutes per person per 8 hour shift)

